



SCALE 1:	THIS PRINT IS THE PROPERTY OF TECHNISCH BURO TER HORST AND IS PROVIDED ON A RESTRICTED BASIS. IT IS NOT TO BE COPIED, TRANSFERRED OR OTHERWISE MADE AVAILABLE TO ANY UNAUTHORISED PERSONS.	POS: DESCRIPTION	QTY
DOSS.NR.: 1107	TECHNISCH BURO TER HORST LEEWARDEN - HOLLAND	DWG.: 1107112	DATE: 24-07-1995

HYDRAULIC DIAGRAM RC VALVES BALLAST & BILGE  
 PATTJE SHIPYARDS - YARDNRS 390/391




ID. NO.	MATR. DESIGNATION/DIM	NUMBER	UNIT	MATR. QUALITY/SURFACE TREATMENT	WEIGHT
	REPLACE	REPLACED BY	SCALE	ALTR	DATE
	SURFACES WITH NO ROUGHNESS GRAD. $R_a =$		1:1		
	FOR DIMENSIONS WITHOUT A TOLERANCE INDICATION				
	NOMINAL DIM	TOLERANCE OVER	TO		
	0.5	6	ISO 2768		
	6	30			
	30	120			
	120	315			
	315	1000			
				88 11 29	KAJ
				PAGE	1
				DRWG. NO.	E18-066
					X

**BLOCK 2-C-DPNR-BP**

**NORDISK MARINE HYDRAULIK DANMARK A/S**  
 Industrivej 8 - DK-4720 Præsto  
 Tlf. 03 79 20 30 - Telex 40124

PARTSLIST.					ID-No....:019-4111
					Page....:1/1
Block 2-C-DPNR-BP-MS					Date....:
					By.....:
Pos	ID-No.	Description/Dim.	Num.	Unit	Remarks
	018E0661	Ass.Dwg.		Pcs	
1	019C4001	Block	1	Pcs	NMH
2	017-9582	Cartridge	1	Pcs	
3	019-3861	Cartridge	1	Pcs	
4	017-1051	Plug VSHR 1/4" ED	2	Pcs	
5	302-0150	O-ring ø 15,0*1,0 NBR	2	Pcs	
6	302-0110	O-ring ø 11,0*1,0 NBR	1	Pcs	
7	403-3050	Screw M6*50 A4 DIN 912	4	Pcs	
8	462-0250	Blanking end VS-R-1/4"-WD	1	Pcs	
9	548-0100	Ball ø10	1	Pcs	
10	546-0040	Expander ø4	1	Pcs	



ID-NO	MATR. DESIGNATION/DIM	NUMBER	UNIT	MATR. QUALITY/SURFACE TREATMENT	WEIGHT
	REPLACE	REPLACED BY	SCALE 2:1	ALTR	DATE
SURFACES WITH NO ROUGHNESS GRADE $R_a =$	This print is the property of N.M.H. and is provided on a restricted basis. It is not to be copied, transferred or otherwise made available to any unauthorized person.				
FOR DIMENSIONS WITHOUT A TOLERANCE INDICATION	DESCRIPTION BY - PASS VALVE FOR HYDRAULIC "TRUE" ON/OFF POS. INDICATION				
NOMINEL DIM OVER TO	TOLERANCE ISO 2768		<b>NORDISK MARINE HYDRAULIK DANMARK A/S</b> Industrivej 8 - DK-4720 Præsto Tlf 03 79 20 30 - Telex 40124		
0.5 - 6	0.1		871023		
6 - 30	0.2		BB		
30 - 120	0.3		1		
120 - 315	0.5		PAGE		
315 - 1000	0.8		DRWG. NO.		
			/ E17-080 ↑		
			X		

20099 Turen & Koch 01133630